



Surface Vent Profiles







Surface mount vents drop into the duct opening with the overlap resting on the floor, covering any rough edges from installation.

ORDER SIZE (Duct Opening Inches)	OVERALL DIMENSIONS
2-1/2" x 10"	3-15/16" x 11-7/16"
2-1/2" x 12"	3-15/16" x 13-7/16"
2-1/2" x 14"	3-15/16" x 15-7/16"
4" x 8"	5-7/16" x 9-7/16"
4" x 10"	5-7/16" x 11-7/16"
4" x 12"	5-7/16" x 13-7/16"
4" x 14"	5-7/16" x 15-7/16"
6" x 10"	7-7/16" x 11-7/16"
6" x 12"	7-7/16" x 13-7/16"
6" x 14"	7-7/16" x 15-7/16"

(Easy glide damper available for standard sizes)

Flush Vent Profiles



Installed at the same time as the floor, flush vents consist of a solid frame that is glued directly to the subfloor, and a removable insert that sits flush for the cleanest possible look.

* The louvered portion of the vent insert is at least 5/8" thick regardless of frame, and must fit into the duct itself. Vent may not sit flush if the opening is obstructed or smaller than the order size dimensions below.

ORDER SIZE (Duct Opening Inches)	OVERALL DIMENSIONS
2-1/2" x 10"	5" x 11-13/16"
2-1/2" x 12"	5" x 14-1/8"
2-1/2" x 14"	5" x 16"
4" x 8"	6-3/4" x 10-1/4"
4" x 10"	6-3/4" x 12-1/4"
4" x 12"	6-3/4" x 14-1/4"
4" x 14"	6-3/4" x 16-1/2"
6" x 10"	9" x 12-1/4"
6" x 12"	9" x 14-1/4"
6" x 14"	9" x 16-1/4"


(Easy glide damper available for standard sizes)

Easy Glide Damper



Custom Vent Options

FLUSH MOUNT WITH FRAME



Flush mount with frame - order by duct size opening. Custom units' overall dimensions are 4" more than the duct opening size. Standard sizes available online.

SURFACE MOUNT




Surface mount - order by duct size opening. Standard sizes available online.

FLUSH MOUNT NO FRAME




Flush mount no frame - order by duct size opening. Custom units' overall dimensions are 2" more than the duct opening size.

EGGCRATE SURFACE MOUNT



Eggcrate surface mount - for applications in floors, walls or ceilings of any thickness, where maximum air flow is desired. Order by exact duct opening size.

EGGCRATE WITH FRAME & FRAMELESS



This traditional eggcrate style is available in flush with frame (4" overall more than duct opening) and flush with no frame (2" overall more than duct opening).

WALL MOUNT/COLD AIR RETURN



This one-directional vent provides a clean, continuous flow of your architectural millwork. The downward angled louvers conceal the duct work.

WALL BASE VENT



Designed to cover duct openings near the base board. Adjustable damper available on standard sizes. Standard sizes = 15" x 5" x 3 1/4" & 18" x 5" x 3 1/4"

TOE KICK/UNDER CABINET



Designed to complement your cabinet or vanity with a natural, finished look. Each toe kick includes one vent with predrilled holes and mounting screws. Adjustable damper available on standard sizes. Standard sizes = 2 1/2" x 12" & 2 1/2" x 14"

OUTLET COVER



This hand-crafted wood cover conceals unsightly and potentially dangerous floor outlets when not in use. The frame is installed permanently while the cover is removable. Only available in overall outer dimensions of 6" x 4 13/16"